

Form Approved
OMB No. 2010-0019
Approval Expires 12-31-89



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Comprehensive Assessment Information Rule

REPORTING FORM

When completed, send this form to:

Document Processing Center Office of Toxic Substances, TS-790 U.S. Environmental Protection Agency 401 M Street, SW Washington, DC 20460 Attention: CAIR Reporting Office For Agency Use Only:

Date of Receipt:

Document
Control Number:

Docket Number:

SECTION 1 GENERAL MANUFACTURER, IMPORTER, AND PROCESSOR INFORMATION

1.01	Thi	s Comprehensive Assessment Information Rule (CAIR) Reporting Form has been
CBI	com	pleted in response to the <u>Federal Register Notice of $[1]$ $[2]$ $[2]$ $[3]$ $[8]$ $[8]$</u>
[_]	a. If a Chemical Abstracts Service Number (CAS No.) is provided in the Federa	
		Register, list the CAS No $[0]\overline{2}\overline{3}\overline{4}\overline{7}\overline{7}\overline{1}\overline{1}-[\overline{6}]\overline{2}-[\overline{5}]$
	ъ.	If a chemical substance CAS No. is not provided in the <u>Federal Register</u> , list either (i) the chemical name, (ii) the mixture name, or (iii) the trade name of the chemical substance as provided in the <u>Federal Register</u> .
		(i) Chemical name as listed in the rule
		(ii) Name of mixture as listed in the rule
		(iii) Trade name as listed in the rule
	c.	If a chemical category is provided in the <u>Federal Register</u> , report the name of the category as listed in the rule, the chemical substance CAS No. you are reporting on which falls under the listed category, and the chemical name of the substance you are reporting on which falls under the listed category.
		Name of category as listed in the rule
		CAS No. of chemical substance [_]_]_]_]_]_]_]_]_]_]_]_[_
		Name of chemical substance
1.02	Ide	entify your reporting status under CAIR by circling the appropriate response(s).
CBI	Man	ufacturer
<u>_</u>]	Imp	orter
	Pro	cessor
	X/F	manufacturer reporting for customer who is a processor
	X/P	processor reporting for customer who is a processor

1.03	Does the substance you are reporting on have an "x/p" designation associated with it in the above-listed Federal Register Notice?
	Yes
·,	No
1.04 <u>CBI</u> [_]	a. Do you manufacture, import, or process the listed substance and distribute it under a trade name(s) different than that listed in the Federal Register Notice? Circle the appropriate response. Yes
	b. Check the appropriate box below:
	[] You have chosen to notify your customers of their reporting obligations
	Provide the trade name(s)
	[] You have chosen to report for your customers
	[] You have submitted the trade name(s) to EPA one day after the effective date of the rule in the <u>Federal Register</u> Notice under which you are reporting.
1.05	If you buy a trade name product and are reporting because you were notified of your reporting requirements by your trade name supplier, provide that trade name.
<u>CBI</u>	Trade name Rubinate TDI
[_]	Is the trade name product a mixture? Circle the appropriate response.
	Yes 1
	No
1.06	Certification The person who is responsible for the completion of this form must sign the certification statement below:
(<u></u>]	"I hereby certify that, to the best of my knowledge and belief, all information entered on this form is complete and accurate."
	NAME SIGNATURE DATE SIGNED
	Director-Regulatory Affairs (216) 344 - 8399 TITLE TELEPHONE NO.
[_]	Mark (X) this box if you attach a continuation sheet.

1.07 <u>CBI</u> []	Exemptions From Reporting If with the required information o within the past 3 years, and th for the time period specified i are required to complete section now required but not previously submissions along with your Sec	n a CAIR Reis informaten the rule, n 1 of this submitted.	eporting Form for the cion is current, accurate then sign the certiful CAIR form and provide Provide a copy of a	listed substance ate, and complete ication below. You e any information
	"I hereby certify that, to the information which I have not in to EPA within the past 3 years period specified in the rule."	cluded in t	his CAIR Reporting Fo	rm has been submitted
	NAME		SIGNATURE	DATE SIGNED
		()	_	
	TITLE		TELEPHONE NO.	DATE OF PREVIOUS SUBMISSION
1.08 <u>CBI</u> [_]	CBI Certification If you have certify that the following state those confidentiality claims who "My company has taken measures and it will continue to take the been, reasonably ascertainable using legitimate means (other that is a judicial or quasi-judicial printer information is not publicly available would cause substantial harm to	ements trut ich you hav to protect ese measure by other pe han discove oceeding) w ilable else	thfully and accurately be asserted. the confidentiality of the information is ersons (other than govery based on a showing without my company's content of the confidence of	f the information, not, and has not ernment bodies) by of special need in onsent; the of the information
	NAME		SIGNATURE	DATE SIGNED
	TITLE	()	TELEPHONE NO.	
			·	
[-]	Mark (X) this box if you attach	a continuat	ion sheet.	

PART	B CORPORATE DATA
1.09	Facility Identification
CBI	Name $[T]h]e]=[G]1]i]d]d]e]n]=[C]0]m]p]a]n]y]=[]]]$
[_]	Address [3]0]0]]]S]p]r]0]w]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]
	[<u>H]u]r]o]n]</u>]_]_]_]_]_]_]]]]]]]]]]]]]]]]]]]]]]
	$ \begin{bmatrix} \hline{0} \end{bmatrix} \overline{H} \\ \hline{State} \begin{bmatrix} \hline{4} \end{bmatrix} \overline{4} \end{bmatrix} \overline{8}] \overline{3}] \overline{9}] [\overline{]}] \overline{]} $
	Dun & Bradstreet Number $[\overline{1}]\overline{5} - [\overline{7}]\overline{2}\overline{8} - [\overline{0}]\overline{5}\overline{0}\overline{4}$
	EPA ID Number OHD OHD 0 0 0 2 9 4 6 2 9 1 1
	Employer ID Number *
	Primary Standard Industrial Classification (SIC) Code $[2]\overline{2}$
	0ther SIC Code
	Other SIC Code
)	* The Glidden Company cannot identify this number as defined in the Glossary.
1.10	Company Headquarters Identification
<u>CBI</u>	Name $[T]h]e]]G]1]i]d]d]e]n]]C]o]m]p]a]n]y]]]]]]]]$
[_]	Address [9]2]5] E]u]c]1]i]d]]A]v e]n u e]]]]]]]]]]]]]]]]]]
	[C]1]e]v]e]1]a]n]d]_]_]_]_]_]_]_]_]_]]]]]]]]]]]]]
	$\begin{bmatrix} \overline{0} \end{bmatrix} \overline{H} $ $\begin{bmatrix} \overline{4} \end{bmatrix} \overline{4} \end{bmatrix} \overline{1}] \overline{1}] \overline{5}] \begin{bmatrix} \overline{1} \end{bmatrix} \overline{1}] \overline{2} $
	Dun & Bradstreet Number $[\underline{1}]\underline{5}-[\underline{1}]\underline{3}]\underline{3}-[\underline{4}]\underline{4}]\underline{2}\underline{2}$
	Employer ID Number *
	* The Glidden Company cannot identify this number as defined in the Glossary
[_]	Mark (X) this box if you attach a continuation sheet.

Parent Company Identification
Name [][]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]
$[\underline{\overline{W}}]\underline{\overline{i}}\underline{\overline{j}}\underline{\overline{j}}\underline{\overline{m}}\underline{\overline{j}}\underline{\overline{j}}\underline{\overline{n}}\underline{\overline{j}}\underline{\overline{j}}\underline{\overline{n}}\underline{\overline{j}}\underline{\underline{j}}\underline{\underline{j}}\underline{\overline{j}}\underline{\overline{j}}\underline{\overline{j}}\underline{\underline{j}}\underline{\underline{j}}\underline{\underline{j}}\underline{\underline{j}}\underline{\underline{j}}\underline{\underline{j}}\underline{\underline{j}}\underline{\underline{j}}\underline{j$
[D]E] [1]9]8]9]7][]]]]]
Dun & Bradstreet Number
Technical Contact
Name $[A.]$ E G
Title [S]r] P]r]o]d]u]c]t]]S]a]f]e]t]y]]S]p]e]c.]]]
Address [1]6]6]5]1]]S]p]r]a]g]u]e]]]R]o]a]d]]]]]]]]]]
[S]t]r]o]n]g]s]v]i]1]]e]_]_]_]_]_]_]_]]]]]]]]]]
Telephone Number
This reporting year is from $[\overline{0}] \overline{1}] [\overline{8}] \overline{8}]$ to $[\overline{1}] \overline{2}] [\overline{8}] \overline{8}]$ Mo. Year

1.14	Facility Acquired If you purchased this facility during the reporting year, provide the following information about the seller:
	Not Applicable
CBI	Name of Seller [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
[_]	Mailing Address [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_] [_]_]_]_][_]_]_]_] State
	Employer ID Number
	Date of Sale
	Contact Person [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	Telephone Number
1.15	Facility Sold If you sold this facility during the reporting year, provide the following information about the buyer: Not Applicable
CBI	Name of Buyer [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
[_]	Mailing Address [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_] [_]_]_]_]_][_]_]_]_]_] State
	Employer ID Number
	Date of Purchase
	Contact Person [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	Telephone Number
[_]	Mark (X) this box if you attach a continuation sheet.

]	Classification	Quantity (kg
•	Manufactured	•
	Imported	
	Processed (include quantity repackaged)	· <u>17,967</u>
	Of that quantity manufactured or imported, report that quantity:	
	In storage at the beginning of the reporting year	•
	For on-site use or processing	•
	For direct commercial distribution (including export)	•
	In storage at the end of the reporting year	•
	Of that quantity processed, report that quantity:	
	In storage at the beginning of the reporting year	1,232
	Processed as a reactant (chemical producer)	
	Processed as a formulation component (mixture producer)	•
	Processed as an article component (article producer)	•
	Repackaged (including export)	•
	In storage at the end of the reporting year	

Component Supplier (specify precise Name Name e.g., 45% ± 0	Component Supplier (specify precise Name Name e.g., 45% ± 0	Mixture If the listed substor a component of a mixture, prechemical. (If the mixture compact chemical for all	aravide the fallowing info	ormation for each compone
Name Name e.g., 45% ± 0	Name Name e.g., 45% ± 0			Average % Composition by Wei (specify precisio
Total 10	Total			e.g., 45% ± 0.5
Total 10	Total			
Total 10	Total			
Total 10	Total 1			
Total 10	Total 1			
10002			-	Total 100
				10001

2.04	State the quantity of the listed substance that your facility manufa or processed during the 3 corporate fiscal years preceding the report descending order.	ictured, im	nported, in
<u>CBI</u>	Year ending	$\cdots [\overline{1}]\overline{2}]$ Mo.	[<u>8</u>] <u>7</u>] Year
	Quantity manufactured —		kg
	Quantity imported		kg kg
	Year ending		[8]6]
	Quantity manufactured	0	kg
	Quantity processed		
	Year ending		
	Quantity manufactured	0	kg
	Quantity imported —		
	Quantity processed	11,613	Kg
2.05 CBI	Specify the manner in which you manufactured the listed substance. appropriate process types. Not Applicable	Circle al	.1
[_]	Continuous process		
	Semicontinuous process		
	Batch process	• • • • • • • • • • • • • • • • • • • •	
		<u>-</u>	
	Mark (X) this box if you attach a continuation sheet.		

2.06 CBI	Specify the manner in wappropriate process typ	hich you processed thes.	ne listed substance.	Circle all
	Continuous process Semicontinuous process Batch process	• • • • • • • • • • • • • • • • • • • •		2
2.07 CBI	State your facility's r substance. (If you are question.)	ame-plate capacity for a batch manufacture Applicable	or manufacturing or pr r or batch processor,	ocessing the listed do not answer this
[_]	Manufacturing capacity Processing capacity			
2.08 CBI	If you intend to increamanufactured, imported year, estimate the increavolume.	ar processed at any	time after your cuffe	suf corborate riscar
[_]	NOC APP	Manufacturing Quantity (kg)	Importing Quantity (kg)	Processing Quantity (kg)
	Amount of increase			
	Amount of decrease			
[_]	Mark (X) this box if y	ou attach a continua	tion sheet.	

2.09	listed substance	argest volume manufacturing or processing procese, specify the number of days you manufactured of the reporting year. Also specify the average stype was operated. (If only one or two operates	number of h	ours per
<u>CBI</u>			Days/Year	Average Hours/Day
	Process Type #1	(The process type involving the largest quantity of the listed substance.)		
		Manufactured		
		Processed	28.9	24
	Process Type #2	(The process type involving the 2nd largest quantity of the listed substance.)		
		Manufactured		
		Processed	9.9	24
	Process Type #3	(The process type involving the 3rd largest quantity of the listed substance.)		
		Manufactured		
		Processed		
2.10 <u>CBI</u> []	substance that chemical.	num daily inventory and average monthly inventor was stored on-site during the reporting year in nventory	i the form o	sted f a bulk kg
				kg
	Average monthly	inventory	•	
M_1	Mark (X) this b	pox if you attach a continuation sheet.		

etc.).		Byproduct, Coproduct	Concentration (%) (specify ±	Source of By products, Coproducts, or Impurities
CAS No.	Chemical Name	or Impurity	% precision)	N A
N A	N A	N A	0.3	

a. Product Types ¹	b. % of Quantity Manufactured, Imported, or Processed	Used	c. Quantity Captively n-Site	d. Type of End-User
К	100%		100%	I
1 Use the following code A = Solvent B = Synthetic reactant C = Catalyst/Initiator Sensitizer D = Inhibitor/Stabiliz Antioxidant E = Analytical reagent F = Chelator/Coagulant G = Cleanser/Detergent H = Lubricant/Friction agent I = Surfactant/Emulsit J = Flame retardant K = Coating/Binder/Add	c/Accelerator/ cer/Scavenger/ c/Sequestrant c/Degreaser n modifier/Antiwear fier nesive and additives	L = Molda M = Plast N = Dye/P O = Photo and a P = Elect Q = Fuel R = Explo S = Fragr T = Pollu U = Funct V = Metal W = Rheol X = Other	ble/Castablicizer igment/Colo graphic/Rep dditives rodeposition and fuel ac sive chemic ance/Flavor tion contro ional fluid alloy and ogical modi (specify)	cals and additives chemicals ol chemicals and additives additives
I = Industrial CM = Commercial	CS = Cons	umer	·)	

a.	b.	c.	
	% of Quantity Manufactured, Imported, or	% of Quantity Used Captivel	v
Product Types ¹	Processed	On-Site	Type of End-Use
K	100%	100%	<u>I</u>
		_	
A = Solvent B = Synthetic reactan C = Catalyst/Initiato Sensitizer D = Inhibitor/Stabili Antioxidant E = Analytical reagen F = Chelator/Coagulan G = Cleanser/Detergen H = Lubricant/Frictio agent I = Surfactant/Emulsi	r/Accelerator/ zer/Scavenger/ t t/Sequestrant t/Degreaser n modifier/Antiwear	<pre>M = Plasticizer N = Dye/Pigment/O 0 = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che S = Fragrance/Fla T = Pollution con U = Functional fl V = Metal alloy a W = Rheological m</pre>	tion/Plating chemical additives emicals and additives ever chemicals at the chemicals and additives and additives and additives and additives and additives
<pre>J = Flame retardant K = Coating/Binder/Ad</pre>	hesive and additives	X = Other (specif	ːy)
<pre>J = Flame retardant K = Coating/Binder/Ad Use the following cod</pre>			

a.	b.	Not Applicable c. Average %	d.
	•	Composition of	
. 1	Final Product's	Listed Substance	Type of
Product Type ¹	Physical Form'	in Final Product	End-Use
		4 .	
4			
	codes to designate pro		- /Dubban and a
A = Solvent		L = Moldable/Castabl M = Plasticizer	e/Rubber and a
B = Synthetic rea	ictant :iator/Accelerator/	N = Plasticizer N = Dye/Pigment/Colo	rant/Ink and a
Sensitizer	.Tator/Accelerator/	0 = Photographic/Rep	
	bilizer/Scavenger/	and additives	rographire chem
Antioxidant	bilizer, beavenger,	P = Electrodeposition	n/Plating chem
E = Analytical re	arent	Q = Fuel and fuel ad	
	gulant/Sequestrant	R = Explosive chemic	
G = Cleanser/Dete		S = Fragrance/Flavor	chemicals
	ction modifier/Antiwear		
agent	etion modifier, miti addi	U = Functional fluid	
I = Surfactant/Em	ulsifier	V = Metal alloy and	
J = Flame retarda		W = Rheological modi	
	er/Adhesive and additive		
² Use the following	codes to designate the	final product's physi	cal form:
A = Gas	F2 = Cry	stalline solid	
B = Liquid	F3 = Gra	nules	
C = Aqueous solut	f4 = 0th	er solid	
D = Paste	G = Gel		
E = Slurry	H = Oth	er (specify)	
F1 = Powder			
3 Has the fallowing	codes to designate the	type of end-users:	
use the lollowing	00 0	sumer	
<pre>I = Industrial CM = Commercial</pre>	CS = Con	er (specify)	

2.15 CBI	Circle liste	le all applicable modes of transportation used to deliver bulk shipments of the ed substance to off-site customers. Not Applicable					
	Truck						
	Railcar						
	Barge	, Vessel	***************************************	3			
	Pipeline						
	Plane		•••••	5			
	0ther	(specify)		6			
2.16 <u>CBI</u> [_]	or pr of en	mer Use Estimate the quan epared by your customers dur d use listed (i-iv).	nantity of the listed substance used by your customer during the reporting year for use under each category Not applicable (Glidden does not sell or distributhe listed substance, other than as an impurity to its customers)				
	i.	Industrial Products					
		Article		_ kg/yr			
	ii.	Commercial Products					
		Chemical or mixture		_ kg/yr			
		Article		_ kg/yr			
	iii.	Consumer Products					
		Chemical or mixture		_ kg/yr			
		Article	•••••	_ kg/yr			
	iv.	Other					
		Distribution (excluding ex	port)	_ kg/yr			
		Export	•••••	_ kg/yr			
		-	umed as reactant				
		Unicional Castomat Sasa					
<u></u>	Mark	(X) this box if you attach	a continuation sheet.				

SECTION 3 PROCESSOR RAW MATERIAL IDENTIFICATION

CBI	Specify the quantity purchased and the average price paid for the listed substance for each major source of supply listed. Product trades are treated as purchases. The average price is the market value of the product that was traded for the listed substance.						
[_]	Source of Supply	Quantity (kg)	Average Pric (\$/kg)				
	The listed substance was manufactured on-site.	Not Applicable					
	The listed substance was transferred from a different company site.	Not Applicable					
	The listed substance was purchased directly from a manufacturer or importer.	20,750	\$2.695/kg				
	The listed substance was purchased from a distributor or repackager.	Not Applicable					
	The listed substance was purchased from a mixture producer.	Not Applicable					
<u>CBI</u> [<u>]</u>]	Truck						
	Pipeline Plane						
	Other (specify)						

.03 BI	a.	Circle all applicable containers used to transport the listed substance to your facility.
		Bags 1
		Boxes 2
		Free standing tank cylinders 3
		Tank rail cars 4
		Hopper cars 5
		Tank trucks 6
		Hopper trucks 7
		Drums
		Pipeline 9
		Other (specify)10
	b.	If the listed substance is transported in pressurized tank cylinders, tank rail cars, or tank trucks, state the pressure of the tanks. Not Applicable
		Tank cylinders mmHg
		Tank rail cars mmHg
		Tank trucks mmHg
$I^{-}I$	May	rk (X) this box if you attach a continuation sheet.

of the mixture, the na [average percent compose	of the mixture, the name of its supplier(s) or manufacturer(s), an est average percent composition by weight of the listed substance in the manual of mixture processed during the reporting year. Not Application of the manufacturer (s), an est average percent composition by weight of the listed substance in the manufacturer (s), an est average percent composition by weight of the listed substance in the manufacturer (s), an est average percent composition by weight of the listed substance in the manufacturer (s), an est average percent composition by weight of the listed substance in the manufacturer (s), an est average percent composition by weight of the listed substance in the manufacturer (s), and est average percent composition by weight of the listed substance in the manufacturer (s), and est average percent composition by weight of the listed substance in the manufacturer (s), and est average percent composition by weight of the listed substance in the manufacturer (s).					
Trade Name	Supplier or Manufacturer	Average % Composition by Weight (specify ± % precision)	Amount Processed (kg/yr)			

[_] Mark (X) this box if you attach a continuation sheet.

<u>BI</u>	State the quantity of the list reporting year in the form of the percent composition, by we	tance.	
_]		Quantity Used (kg/yr)	<pre>% Composition by Weight of Listed Sub- stance in Raw Material (specify ± % precision</pre>
	Class I chemical		
	Class II chemical	17,967	99.7%
	Class II Chemicai		
	Polymer		· · · · · · · · · · · · · · · · · · ·
)			

 $\begin{bmatrix} \underline{} \end{bmatrix}$ Mark (X) this box if you attach a continuation sheet.

SECTION 4 PHYSICAL/CHEMICAL PROPERTIES

	al Instructions:									
4 that	are reporting on a mix are inappropriate to m	ixtures by stating "NA	mixture.							
	For questions 4.06-4.15, if you possess any hazard warning statement, label, MSDS, or other notice that addresses the information requested, you may submit a copy or reasonable facsimile in lieu of answering those questions which it addresses.									
PART A	A PHYSICAL/CHEMICAL DAT	'A SUMMARY								
4.01 <u>CBI</u>	substance as it is manu	rity for the three major afactured, imported, or product form for manufa or at the point you begi	ecturing activities. 8	it the time you						
[_]		Manufacture	Import	Process						
	Technical grade #1	% purity	% purity	99.7 % purity						
	Technical grade #2	% purity	% purity	% purity						
	Technical grade #3	% purity	% purity	% purity						
	¹ Major = Greatest quan	tity of listed substance	e manufactured, impor	ted or processed.						
4.02	substance, and for eve an MSDS that you devel version. Indicate whe appropriate response.	tly updated Material Sa ry formulation containi oped and an MSDS develo ther at least one MSDS	ped by a different so has been submitted by	urce, submit your circling the						
	Yes									
	Indicate whether the M	SDS was developed by yo	our company or by a di	No						
	Your company									
	Your company			(1						

[X] Mark (X) this box if you attach a continuation sheet.

Continuation: Q 4.02, Pg. 25

MATERIAL SAFETY DATA SHEET



THE GLIDDEN COMPANY

925 EUCLID AVENUE CLEVELAND, OHIO 44115 EMERGENCY TELEPHONE NO. (216) 826-5566

The information contained herein is based on data available at the time of preparation of this data sheet and which The Glidden Company believes to be reliable. However, no warranty is expressed or implied regarding the accuracy of this data. The Glidden Company shall not be responsible for the use of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and the health and safety of your employees and users of this material.

COMPLIES WITH OSHA HAZARD COMMUNICATION STANDARD 29CFR1910.1200.

PAGE

	SECTION I			
CODE IDENTIFICATION PRODUCT IDENTIFICAT	ION 1+3-DIISOCYAN	DATE PRI NATE METHYL-E	INTED BENZENE	05/24/89
	SECTION II-A - HA	ZARDOUS ING	REDIENTS	
CHEMICAL NAME		WEIGHT PERCENT	ACGIH TLV OSHA PEL SUPP REC STD	LD 50 + UNIT ROUTE • STEL
1.3-DIISOCYANATE ME	ETHYL-BENZENE	100	•005 PPM •02 PPM	
CARCINOGENICITY COMMON NAME: CAS NO	LISTED BY: TOLUENE DIISOCYAN 26471-62-5	THI C	IARC MONOGRAP SARA ?	**** H3 AE2 02HV3 NO
₹ ●	# THIS CHEMICAL TREQUIREMENTS (4 ## THIS CHEMICAL REQUIREMENTS LEL - THE LOWER (% OF VOLATILES WHEN AN IGNITION	IS SUBJECT IS SUBJECT (40 CFR PART EXPLOSIVE LII IN AIR) THAT SOURCE IS PI	TO SARA 313 REP 372). MIT IS THE LOWE WILL PRODUCE A RESENT.	ORTING
	SECTION III - PI	HYSICAL DATA		
VAPOR PRESSURE	-10 484 - 484 F	SPECIFI WEIGHT	C GRAVITY PER GALLON	1.220 10.16
VAPOR PRESSURE BOILING RANGE %VOLATILE BY VOLUMI PHYSICAL STATE SOLUBILITY IN WATER	E LIQUID R NOT DETERMIN	COLOR ED PH		CLEAR NOT DETERMINED
	CCCTION TY	TOE AND EYDI	OSTON HAZARD DA	ATA
FLASH POINT (SETA)	ABOVE 200 F	LOWER E Upper e	XPLOSIVE LIMIT	NOT DETERMINED
EXTINGUISHING MEDI	A			
	DRY CHEMICAL OR WATER FOG	FOAM		

FIRE. SPECIAL FIRE FIGHTING PROCEDURES

UNUSUAL FIRE AND EXPLOSION HAZARDS

WATER MAY BE USED TO COOL AND PROTECT EXPOSED CONTAINERS.

CLOSED CONTAINERS MAY BURST IF EXPOSED TO EXTREME HEAT OR

MATERIAL SAFETY DATA SHEET



925 EUCLID AVENUE CLEVELAND, OHIO 44115 EMERGENCY TELEPHONE NO. (216) 826-5566 The information contained herein is based on data available at the time of preparation of this data sheet and which The Glidden Company believes to be reliable. However, no warranty is expressed or implied regarding the accuracy of this data. The Glidden Company shall not be responsible for the use of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and the health and safety of your employees and users of this material.

COMPLIES WITH OSHA HAZARD COMMUNICATION STANDARD 29CFR1910.1200.

PAGE 2 PAGE

SECTION V

- HEALTH HAZARD DATA

PRIMARY ROUTE(S) OF EXPOSURE

NOT DETERMINED

EFFECTS OF OVEREXPOSURE

INHALATION

IRRITATION OF RESPIRATORY TRACT. PROLONGED INHALATION MAY LEAD TO MUCOUS MEMBRANE IRRITATION, BRONCHITIS. POSSIBLE SENSITIZATION TO.

SKIN CONTACT

IRRITATION OF SKIN. PROLONGED OR REPEATED CONTACT CAN CAUSE SEVERE SKIN IRRITATION OR BURNS. POSSIBLE SENSITIZATION TO SKIN.

EYE CONTACT

IRRITATION OF EYES. PROLONGED OR REPEATED CONTACT CAN CAUSE SEVERE EYE IRRITATION OR BURNS, CORNEAL INJURY, POSSIBLE

SENSITIZATION TO.

INGESTION

NOT DETERMINED

SUPPLEMENTAL HEALTH INFORMATION

FREE DIISOCYANATE MAY CAUSE ALLERGIC REACTION INSUSCEPTIBLE

PERSONS.

ICAL CONDITIONS AGGRAVATED BY EXPOSURE

NOT DETERMINED

SECTION VI - FIRST AID PROCEDURES

INHALATION

REMOVE TO FRESH AIR. RESTORE AND SUPPORT CONTINUED

BREATHING.
GET EMERGENCY MEDICAL ATTENTION.
HAVE TRAINED PERSON GIVE DXYGEN IF NECESSARY. GET MEDICAL
HELP FOR ANY BREATHING DIFFICULTY.

SKIN CONTACT

WASH DEF QUICKLY WITH PLENTY DE WATER. THEN SOAP AND

WASH BEE QUICKLY WITH PLENT BE WATER TO WATER; REMOVE CONTAMINATED CLOTHING.
REMOVE CONTAMINATED CLOTHING.
WASH CONTAMINATED CLOTHING BEFORE RE-USE.

EYE CONTACT

FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER. ESPECIALLY

UNDER LIDS FOR AT LEAST 15 MINUTES. OBTAIN EMERGENCY

MEDICAL TREATMENT.

INGESTION

IF SWALLOWED, OBTAIN MEDICAL TREATMENT IMMEDIATELY.

SECTION VII - REACTIVITY DATA

STABILITY

STABLE

INCOMPATIBILITY

ACIDS, BASES, AMINES, WATER, ALUMINUM, COPPER, ALCOHOLS.

LDITIONS TO AVOID

MOISTURE.

HAZARDOUS DECOMPOSITION PRODUCTS

CARBON MONOXIDE. OXIDES OF NITROGEN, HYDROGEN CYANIDE.

MATERIAL SAFETY DATA SHEET



925 EUCLID AVENUE CLEVELAND, OHIO 44115 EMERGENCY TELEPHONE NO. (216) 826-5566 The information contained herein is based on data available at the time of preparation of this data sheet and which The Glidden Company believes to be reliable. However, no warranty is expressed or implied regarding the accuracy of this data. The Glidden Company shall not be responsible for the use of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and the health and safety of your employees and users of this material.

COMPLIES WITH OSHA HAZARD COMMUNICATION STANDARD 29CFR1910.1200. 3

PAGE

	SECTION VII - REACTIVITY DATA
HAZARDOUS POLYMERI	· · · · · · · · · · · · · · · · · · ·
	MAY OCCUR
	SECTION VIII - SPILL OR LEAK PROCEDURES
	IN CASE MATERIAL IS RELEASED OR SPILLED
	COMPLY WITH ALL APPLICABLE HEALTH AND ENVIRONMENTAL
	REGULATIONS. VENTILATE AREA. SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIALS.
WASTE DISPOSAL	DISPUSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.
	SECTION IX - SPECIAL PROTECTION INFORMATION
RESPIRATORY PROTEC	
E (CONTROL ENVIRONMENTAL CONCENTRATIONS BELOW APPLICABLE STANDARDS. WHERE RESPIRATORY PROTECTION IS REQUIRED. USE ONLY NIOSH/MSHA APPROVED RESPIRATORS IN ACCORDANCE WITH OSHA STANDARD 29 CFR 1910-134.
VENTILATION	PROVIDE DILUTION VENTILATION OR LOCAL EXHAUST TO PREVENT BUILD-UP OF VAPORS.
PERSONAL PROTECTIV	EQUIPMENT
	EYE WASH, SAFETY SHOWER, SAFETY GLASSES OR GOGGLES. IMPERVIOUS GLOVES, IMPERVIOUS CLOTHING, APRON.
	SECTION X - SPECIAL PRECAUTIONS
	- d dp p d n a d d d a d d d d d d d d d d d d d
HANDLING AND STORA	AGE
	STORE BELOW 100 F. DO NOT STORE IN ALUMINUM CONTAINERS.
OTHER PRECAUTIONS	USE ONLY WITH ADEQUATE VENTILATION. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH SKIN AND EYES. AND BREATHING OF VAPORS. WASH HANDS THOROUGHLY AFTER HANDLING. ESPECIALLY BEFORE EATING OR SMOKING. KEEP CONTAINERS TIGHTLY CLOSED AND UPRIGHT WHEN NOT IN USE. EMPTY CONTAINERS MAY CONTAIN HAZARDOUS RESIDUES.

DOT (PSN)

TOLUENE DIISOCYANATE, UN2078

HAZARD CLASS

POISON B

Submit a copy or reasonable facsimile of any hazard information (other than an MSDS) that is provided to your customers/users regarding the listed substance or any formulation containing the listed substance. Indicate whether this information has been submitted by circling the appropriate response. Not Applicable
Yes

4.04 For each activity that uses the listed substance, circle all the applicable number(s) corresponding to each physical state of the listed substance during the activity listed. Physical states for importing and processing activities are determined at the time you import or begin to process the listed substance. Physical states for manufacturing, storage, disposal and transport activities are determined using the final state of the product.

	Physical State				
Activit <u>y</u>	Solid	Slurry	Liquid	Liquified Gas	Gas
Manufacture	1	2	3	4	5
Import	1	2	3	4	5
Process	1	2	3	4	5
Store	1	2	3	4	5
Dispose	1	2	3	4	(5)
Transport	1	2	3	4	5

<u>CBI</u>	Particle Size If the listed substance exists in particulate form during any of the following activities, indicate for each applicable physical state the size and the percentage distribution of the listed substance by activity. Do not include particles ≥10 microns in diameter. Measure the physical state and particle sizes for importing and processing activities at the time you import or begin to process the listed substance. Measure the physical state and particle sizes for manufacturing storage, disposal and transport activities using the final state of the product.							
[_]			Ŋ	ot Appli	.cable			
	Physical State		Manufacture	Import	Process	Store	Dispose	Transport
	Dust	<1 micron		* ,				
		1 to <5 microns	*					
		5 to <10 microns						
	Powder	<1 micron						
		1 to <5 microns						
		5 to <10 microns	-					
	Fiber	<1 micron						
		1 to <5 microns						
		5 to <10 microns	440					
	Aerosol	<1 micron						
		1 to <5 microns						
		5 to <10 microns						
	Mark (X)	this box if you atta	ach a continua	ation she	eet.			

SECTION 5 ENVIRONMENTAL FATE

Inc	licate the rate constants for the following tran	sformation proces	sses.	
a.	Photolysis:		·	
	Absorption spectrum coefficient (peak)			
	Reaction quantum yield, 6			
	Direct photolysis rate constant, k_p , at	UK 1/hr	la	ti
b.	Oxidation constants at 25°C:			
	For 10_2 (singlet oxygen), k_{ox}	UK		1
	For RO_2 (peroxy radical), k_{ox}	UK		1
c.	Five-day biochemical oxygen demand, BOD ₅	UK		m
d.	Biotransformation rate constant:			
	For bacterial transformation in water, k_b	UK		. 1
	Specify culture			
e.	Hydrolysis rate constants:			
	For base-promoted process, k _B	UK		- 1
	For acid-promoted process, k _A	UK		- 1
	For neutral process, k _N	UK		- :
f				-
g	Other (such as spontaneous degradation)	UK		-
	•			

PART	В	PARTITION	COEFFICIENTS
------	---	-----------	--------------

Media

5.02	a.	Specify the half-life of the listed substance in the following media.

Half-life (specify units)

	Groundwater _		Varies with concentration						
		Atmosphere		3.3 hou	:s				
		Surface water	24 hours						
	Soil		24 hours						
b. Identify life gre		Identify the listed s life greater than 24	the listed substance's known transformation products that have a half ter than 24 hours.						
		CAS No.	Ñ	lame	Half-life (specify unit	<u>s)</u>	Media	:	
		UK	toluene di	amines	UK	in	all		
		UK	TDI-derive	d polyureas	UK	in	soil		
						in		··	
						_			
5.03	Met	ecify the octanol-water	determina	tion				at 25°C	
5.04		ecify the soil-water pail type				UK		it 25°C	
5.05	Spe	ecify the organic carb efficient, K _{oc}	on-water p	artition	•••••	UK		at 25°0	
5.06	Sp	ecify the Henry's Law	Constant,	н		UK	atm-	m ³ /mole	
[_]	Ma	rk (X) this box if you	ı attach a	continuation	sheet.				

Bioconcentration Factor	Species	<u>Test¹</u>
NA	NA	NA
¹ Use the following codes to des	ignate the type of test:	
	ignate the type of test.	
<pre>F = Flowthrough S = Static</pre>		

(4


	Market	Quantity Sold or Transferred (kg/yr)	Total Sales Value (\$/yr)
	Retail sales		
	Distribution Wholesalers		
	Distribution Retailers		
	Intra-company transfer		
	Repackagers		
	Mixture producers		
	Article producers		
	Other chemical manufacturers or processors		
	Exporters		
	Other (specify)		
	Substitutes List all known commer for the listed substance and state t feasible substitute is one which is in your current operation, and which	he cost of each substitute economically and technolo	te. A commercially ogically feasible to
05 6 <u>I</u>	for the listed substance and state t feasible substitute is one which is in your current operation, and which performance in its end uses.	he cost of each substitute economically and technolo	te. A commercially ogically feasible to not with comparable
<u>I</u>	for the listed substance and state t feasible substitute is one which is in your current operation, and which performance in its end uses. Substitute	he cost of each substitute economically and technolo	te. A commercially ogically feasible to
<u>I</u>	for the listed substance and state t feasible substitute is one which is in your current operation, and which performance in its end uses.	he cost of each substitute economically and technolo	te. A commercially ogically feasible to not with comparable
<u>I</u>	for the listed substance and state t feasible substitute is one which is in your current operation, and which performance in its end uses. Substitute	he cost of each substitute economically and technolo	te. A commercially ogically feasible to not with comparable
<u>I</u>	for the listed substance and state t feasible substitute is one which is in your current operation, and which performance in its end uses. Substitute	he cost of each substitute economically and technolo	te. A commercially ogically feasible to not with comparable
<u>I</u>	for the listed substance and state t feasible substitute is one which is in your current operation, and which performance in its end uses. Substitute	he cost of each substitute economically and technolo	te. A commercially ogically feasible to not with comparable
<u>I</u>	for the listed substance and state t feasible substitute is one which is in your current operation, and which performance in its end uses. Substitute	he cost of each substitute economically and technolo	te. A commercially ogically feasible to not with comparable

SECTION 7 MANUFACTURING AND PROCESSING INFORMATION

	al Instructions:
provi	uestions 7.04-7.06, provide a separate response for each process block flow diagram ded in questions 7.01, 7.02, and 7.03. Identify the process type from which the mation is extracted.
PART	A MANUFACTURING AND PROCESSING PROCESS TYPE DESCRIPTION
7.01 CBI	In accordance with the instructions, provide a process block flow diagram showing the major (greatest volume) process type involving the listed substance.
[_]	Process type Batch Copolymerization

See Attached

 $[\overline{X}]$ Mark (X) this box if you attach a continuation sheet.



-42a-

Continuation: Q 7.01, Pg. 42

Raw Material Additions - Batch Copolymerization

Stream ID	Group	<u>Material</u>
7B	A ₁	Hydrogenated Bisphenol A Adipic Acid Xylene
7L	$\mathtt{A_2}$	Xylene
7M, 7O	$\mathtt{B_1}$	Methyl Ethyl Ketone
7 P	$\mathtt{B_2}$	Dimethylol Propionic Acid
78	С	Toluene Diisocyanate
7 T	D	Methyl Ethyl Ketone
7Z, 7AB	E	Butyl Cellosolve
7AC	F	Diisopropanolamine Water
7AD	G	Water
7AG	Н	Hexamethoxymethylmelamine
7АН	I	Water

7.03	In accordance with the instructions, provide a process block flow diagram showing all process emission streams and emission points that contain the listed substance and which, if combined, would total at least 90 percent of all facility emissions if not treated before emission into the environment. If all such emissions are released from one process type, provide a process block flow diagram using the instructions for question 7.01. If all such emissions are released from more than one process type, provide a process block flow diagram showing each process type as a separate block.
<u>CBI</u>	
[_]	Process type
	Not Applicable
[_]	Mark (X) this box if you attach a continuation sheet.

7.04 Describe the typical equipment types for each unit operation identified in your process block flow diagram(s). If a process block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type.

Batch Copolymerization

Unit Operation ID Number	Typical Equipment Type	Operating Temperature Range (°C)	Operating Pressure Range (mm Hg)	Vessel Composition
7.10	Stirred Tank Reactor	10-235	20-760	Stainless
7.11	Scrubber	0–50	Atmospheric	Stainless
7.12	Condenser	0-150	20-760	Stainless
	Decanter	Ambient	20-760	Stainless
7.13	Weigh Tank	Ambient	Atmospheric	Stainless
7.14	Scrubber	0-50	Atmospheric	Stainless
7.15	Condenser	0-150	Atmospheric	Stainless
7.16	Decanter	Ambient	Atmospheric	Stainless
7.17		Ambient	Atmospheric	Stainless
7.18	Weigh Tank	20-80	Atmospheric	Stainless
7.19	Reducing Tank			Stainless
7.20	Condenser	20–80	Atmospheric	
7.21	Filter	30–50	1500–3500	Stainless
7.22	Drums	30–50	Atmospheric	Steel

[[]__] Mark (X) this box if you attach a continuation sheet.

CBI

Process type Batch Copolymerization

Process Stream ID Code	Process Stream Description	Physical State ¹	Stream Flow (kg/yr)
7A	Inert Gas	GU	4428
7B	Material Charge (A ₁)	SO/OL	20845
7C	Decanter Charge	OL	1562
7D	Decanter Charge	AL	3094
7E	Scrubber	GU	12414
7 F	Scrubber	GU	12414
7G	Reflux Vapor	GC	47550
7H	Reflux Vent	GU	2629

¹ Use the following codes to designate the physical state for each process stream:

- GC = Gas (condensible at ambient temperature and pressure)
- GU = Gas (uncondensible at ambient temperature and pressure)
- S0 = Solid
- SY = Sludge or slurry
- AL = Aqueous liquid
- OL = Organic liquid
- IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

CBI

Process type Batch Copolymerization

Process Stream ID Code	Process Stream Description	Physical State ¹	Stream Flow (kg/yr)
<u>71</u>	Reflux Condensate	OL	44921
7J	Water to Waste	AL	3950
7K	Condensate Return	OL	40971
7L	Material Charge (A ₂)	OL	772
7M	Material Charge (B ₁)	OL	24054
7N	Loading Vent	GU	36
70	Material Charge (B ₁)	OL	24054
7P	Material Charge (B ₂)	S0	4711

¹Use the following codes to designate the physical state for each process stream:

- GC = Gas (condensible at ambient temperature and pressure)
- GU = Gas (uncondensible at ambient temperature and pressure)
- SO = Solid
- SY = Sludge or slurry
- AL = Aqueous liquid
- OL = Organic liquid
- IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.

CBI

Process type Batch Copolymerization

Process Stream ID Code	Process Stream Description	Physical State	Stream Flow (kg/yr)
7Q	Scrubber	GU	1857
7R	Scrubber	GU	1857
7S	Material Charge (C)	OL	12947
7T	Material Charge (D)	OL	1767
7U	Reflux Vapor	GC	83453
7V	Reflux Vent	GU	3402
7w	Reflux Condensate	OL	80051
7x	Stripped Solvent	OL	27934

¹Use the following codes to designate the physical state for each process stream:

GC = Gas (condensible at ambient temperature and pressure)

GU = Gas (uncondensible at ambient temperature and pressure)

SO = Solid

SY = Sludge or slurry

AL = Aqueous liquid

OL = Organic liquid

IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.



_] Process type Batch Copolymerization	
--	--

Process Stream ID Code	Process Stream Description	Physical State ¹	Stream Flow (kg/yr)
7Y	Condensate Return	OL	52117
7Z	Material Charge (E)	OL	18660
7AA	Loading Vent	GU	26
7AB	Material Charge (E)	OL	18660
7AC	Material Charge (F)	OL/AL	12923
7 A D	Material Charge (G)	AL	47637
7AE	Resin Drop	OL	75276
7AF	Material Drop	AL	47637

¹ Use the following codes to designate the physical state for each process stream:

- GC = Gas (condensible at ambient temperature and pressure)
- GU = Gas (uncondensible at ambient temperature and pressure)
- S0 = Solid
- SY = Sludge or slurry
- AL = Aqueous liquid
- OL = Organic liquid
- IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

Mark (X) this box if you attach a continuation sheet.

CBI

Process type Batch Copolymerization

Process Stream ID Code	Process Stream Description	* 4	Physical State	Stream Flow (kg/yr)
7AG	Material Charge (H)		OL	16567
7A H	Material Charge (I)		AL	3066
7AI	Vapor Outlet		GC	721
7AJ	Vapor Condensate	u was	AL	111
7AK	Vapor Vent		GU	610
7AL	Product Drop		AL	134428
7AM	Product Fill		AL	134428

¹ Use the following codes to designate the physical state for each process stream:

GC = Gas (condensible at ambient temperature and pressure)

GU = Gas (uncondensible at ambient temperature and pressure)

S0 = Solid

SY = Sludge or slurry

AL = Aqueous liquid

OL = Organic liquid

IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

^[] Mark (X) this box if you attach a continuation sheet.

Process ty	pe Batch	n Copolymerizat	tion	
a.	b.	c.	d.	е.
Process Stream ID Code	Known Compounds ¹	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentratio (% or ppm)
7A	Nitrogen	100.0% (E)) (W) NA	NA
7B	Hydrogenated Bisphenol	A 81.5% (E)(W) NA	NA
	Adipic Acid	16.6 (E) (W) NA	NA
	Xylene	1.9 (E)	(W) NA	NA
7C	Xylene	100.0% (E	E)(W) NA	NA

_} '	Process type	Bat	ch Copolymerizati	OII	
-	a.	b.	с.	d.	e.
	Process Stream ID Code	Known Compounds	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
	7D	Water	100.0% (E) (W) NA	NA
		· · ·			
	7E	Air	100.0%	Adipic Acid	∠0.001%
			(E)(W)	Xylene	< 0.001%
	7F	Air	100.0% (E)(W)	Xylene	< 0.001%
·					
.06	continued	below			

a.	b.	c.	d.	е.
Process Stream ID Code	Known Compounds	Concen- trations ² , ³ (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
7G	Xylene	86.1% (E) (V	v) NA	NA
	Water	1.6 (E)(W	NA NA	NA
	Nitrogen	12.3 (E)(I	w) NA	NA
7н	Xylene	0.45% (E)(W) NA	NA
	Water	0.05 (E)(W) NA	NA
	Nitrogen	99.5 (E) (W	I) NA	NA
71	Water	1.8%_(E)	(W) NA	NA
	Xylene	98.2 (E) (V	N) NA	NA

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.

-1	Process typ	e Bat	ch Copolymerizati	on	
_'	a.	b.	c.	d.	e.
	Process Stream ID Code	Known Compounds	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
	7 J	Water	100.0% (E)(W)	Xylene	40.1%
	7K	Xylene	100.0% (E)(W)	Water	40. 1%
				·	
	<u>7</u> L	Xylene	100.0% (E)(W) NA	NA NA
7.06	continued	below			

_]	Process typ	e Batch	n Copolymerization	on	
	a.	b.	c.	d.	e.
	Process Stream ID Code	Known Compounds ¹	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
	7M _.	Methyl Ethyl Ketone (ME	K) 100.0% (E)(V	N) NA	NA
	7N	Air	95.3% (E)(I	w) NA	NA NA
		MEK	4.7 (E)(W)	NA	NA NA
	70	MEK	100.0% (E)(W) NA	NA
	et y				
.06	continued	below			

7.06 Characterize each process stream identified in your process block flow diagram(s). If a process block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type. (Refer to the instructions for further explanation and an example.) Batch Copolymerization Process type e. d. c. b. a. Estimated 0ther Concentrations^{2,3} **Process** Concentrations Expected Stream Compounds (% or ppm) Known Compounds1 (% or ppm) ID Code NA Dimethylol Propionic Acid 100.0% (E)(W) NA **7**P Trace 97.0% (E)(W)_ Xylene Air 7Q NA 3.0% (E)(W) NA MEK Trace 97.0% (E)(W) Xylene Air 7R NA NA 3.0% (E)(W) MEK

7.06 continued_below

 $[\overline{x}]$ Mark (X) this box if you attach a continuation sheet.

a.	b.	с.	d.	е.
Process Stream ID Code	Known Compounds ¹	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
7S	Toluene Diisocyanate (T	DI) 100.0% (E)	(W) NA	NA
7T	MEK (rinse)	100.0% (E)(W) TDI	Trace
			(11)) TA
7U	MEK	39.07% (E)		NA NA
	Xylene (XY)	1.36 (E)((W) NA	NA NA
	TDI	0.0002 (E	E)(W) NA	NA NA
	Butyl Cellosolve (BC)	2.13 (E)((W) NA	NA
	Nitrogen	57.44 (E)((W) NA	NA

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.

a.	b.	c.	d.	e.
Process Stream ID Code	Known Compounds	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
7V	MEK	17.95% (E)(W	V) NA	NA
	XY	0.09 (E)(W)) NA	NA
	ВС	0.02 (E)(W)) NA	NA
	Nitrogen TDI	81.94 (E)(W) .0000000002 (E)(W)		NA NA
7W	MEK	99.4% (E)(W) NA	NA
	XY	0.5 (E)(W) NA	NA
	BC	0.1 (E)(W) NA	NA
	TDI	.0000000001 (E)(W) NA	NA
7X	MEK	84.05% (E)(W) NA	NA
	XY	5.65 (E)(W) NA	NA
	BC	10.30 (E)(W) NA	NA

a.	b.	c.		d.	e.
Process Stream	Known Compounds ¹	Concen- trations ² , (% or ppm)	3 Exp	ther pected mpounds	Estimated Concentrations (% or ppm)
TD Code	MEK		(E)(W)	NA	NA
	XY	0.5 (E)(W)	NA	NA
	ВС		E)(W)	NA	NA NA
	TDI		(E)(W)	NA NA	NA NA
7Z	BC	100.0% ((E)(W)	NA	NA
7AA	Air	99.98%	(E)(W)	NA	NA
	BC	0.02	(E)(W)	NA	NA

7.06 continued below

 $[\overline{X}]$ Mark (X) this box if you attach a continuation sheet.

-1	Process type Batch Copolymerization								
	a.	b .	c.	d.	e.				
	Process Stream ID Code	Known Compounds ¹	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentration: (% or ppm)				
	7AB	ВС	100.0% (E)(W) NA	NA				
	7AC	Diisopropanolamine	75.4% (E)(W) NA	NA				
		Water	24.6 (E)((W) NA	AN				
	7AD	Water	100.0% (E)	(W) NA	NA NA				
	, er								
.06	continued	below							

rocess typ	be Batch	Copolymerizatio	<u>n</u> .	
a.	b.	c.	d.	е.
Process Stream ID Code	Known Compounds	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
7AE	Urethane Resin 68299-33-	-2) 51.5% (E)(W) Xylene	NA
	MEK	4.8 (E)(W)	NA	AN
	BC	25.8 (E)(W)	NA	NA
	Diisopropanolamine Water	13.5 (E)(W) 4.4 (E)(W)	NA NA	NA NA
7AF	Water	100.0% (E)(W) NA	NA NA
7AG	Hexamethoxymethylmelamin	e100.0% (E)(V	V) NA	NA

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.

a.	b.	c.		d.	e.
Process Stream ID Code	Known Compounds	Concen- trations ² (% or ppm)	, 3 E	Other xpected ompounds	Estimated Concentrations (% or ppm)
7 A H	Water	100.0%	(E)(W)	NA	NA
7AI	Water	65.6%	(E)(W)	Xylene	NA
	BC	2.4	(E)(W)	NA	NA
	MEK	32.0	(E) (W)	NA	NA
7AJ	 Water	67.7%	(E)(W)	NA	NA NA
	BC	2.5	(E)(W)	NA	NA
	MEK	29.8	(E)(W)	NA	NA

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.

l Process	type Bato	h Copolymerizatio	on	
a.	b.	c.	d.	e.
Process Stream ID Code	A	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
7AK		49.8% (E)(W	NA NA	NA
	ВС	0.9 (E)(V	v) NA	NA
	MEK	49.3 (E)(<u>V</u>	NA NA	NA
7AL	Urethane Resin	37.93% (E)	(W) XY	Trace
	Water	37.97 (E)(W) NA	NA
	BC	11.12 (E)(W) NA	NA NA
	MEK	6.12 (E)(NA
771	Diisopropanolamine Urethane Resin	6.86 (E)(37.93% (E)		NA Trace
7AM	Water	37.97 (E)		NA
	ВС	11.12 (E)	(W) NA	NA
	MEK	6.12 (E)	(W) NA	NA
	Diisopropanolamine	6.86 (E)	(W) NA	NA

[[]__; Mark (X) this box if you attach a continuation sheet.

7.06 (continued)

¹ For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component Assign an additive package number to each additive package and list this number in column b. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)
--

Additive Package Number	Components of Additive Package	Concentrations (% or ppm)
1	Not Applicable	
2	Not Applicable	
	Not Applicable	· · · · · · · · · · · · · · · · · · ·
3	NOU Applicable	
4 .	Not Applicable	
5	Not Applicable	
Use the following codes A = Analytical result E = Engineering judgemen	to designate how the concentrate t/calculation	ation was determined.
	to designate how the concentra	ation was measured:
V = Volume W = Weight		

[] Mark (X) this box if you attach a continuation sheet.

PART	A RESIDUAL TREATMENT PROCESS DESCRIPTION
8.01	In accordance with the instructions, provide a residual treatment block flow diagram which describes the treatment process used for residuals identified in question 7.01.
CBI	


Process type Batch Copolymerization

See Attached


[X] Mark (X) this box if you attach a continuation sheet.

HURON RESIDUAL TREATMENT FLOW DIAGRAM

TO = Thermal Oxidizer



HURON RESIDUALS



Characterize each process stream identified in your residual treatment block flow .05 diagram(s). If a residual treatment block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type. (Refer to the instructions for further explanation and an example.) CBI Batch Copolymerization Process type f. g. d. e. b. a. Estimated Physical Concen-Other Concentra-State Type of Stream trations tions (% or Expected Known of Hazardous ID Residual² (% or ppm) ppm) Compounds Compounds' Waste Code NA <60%(E)(W) Water Xylene (XY) OLT,I 8A (BC) Butyl Cellosolve<20%(E)(W) NA NA Methyl Ethyl NA NA <20%(E)(W) Ketone (MEK) <60%(E)(W) Water NA XY T,I OL 8B NA NA <20%(E)(W)BCNA NA <20%(E)(W) MEK Urethane Resin NA NA <0.2%(E)(W) (CAS# 68299-33-2) NA **∠**60%(E)(W) Water XY OL 8C T,I NA BC**∢**20%(E)(W) NA NA < 20%(E)(W)NA MEK Urethane Resin NA <0.2%(E)(W) NA (CAS# 68299-33-2) NA <60%(E)(W) Water T,I XΥ OL 8D NA NA ∠ 20%(E)(W) BC NA NA √20%(E)(W) MEK

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.

Characterize each process stream identified in your residual treatment block flow diagram(s). If a residual treatment block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type. (Refer to the instructions for further explanation and an example.)

Process	type		Batch Copol	ymerization		
a.	b.	c.	d.	e.	f.	g.
Stream ID Code	Type of Hazardous Waste	Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) ⁴ ,5,6	Other Expected Compounds	Estimated Concen- trations (% or ppm)
8E	T,I	OL	XY	<60%(E)(W)	Water	NA
			BC	<20%(E)(W)	NA	NA —
			MEK	<20%(E)(W)	NA	NA
			Urethane Resin (CAS# 68299-33-2)	<0.4%(E)(W)	NA	NA
8F	T,I	GU	XY	21%(E)(W)	NA	NA
			BC	1%(E)(W)	NA	NA
			MEK	78%(E)(W)	NA	NA
	•					
8G	T,I	GC	XY	<28%(E)(W)	Water	NA
			BC	< 26%(E)(W)	NA	NA
			MEK	<46%(E)(W)	NA	NA
					NA	 NA
	T,I	OL_	<u>XY</u>	NA		NA
			BC	NA	NA	
			MEK	NA	NA	NA
		-				

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.

	Characterize each process stream identified in your residual treatment block flow diagram(s). If a residual treatment block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process process type, photocopy this question and complete it separately for each process
CBI	process type, photocopy this question and complete to the instructions for further explanation and an example.)

Process	type ·····	•••	Batch Copo	lymerization		
a.	b.	c.	d.	e.	f.	g.
Stream ID Code	Type of Hazardous Waste	Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) 4,5,6	Other Expected Compounds	Estimated Concen- trations (% or ppm)
81	T,I	OL	XY	100%(E)(W)	NA	NA
8J	T,I	OL	ВС	100%(E)(W)	NA	NA
8K	T,I	OL	MEK	100%(E)(W)	NA	NA
8L	T,I	GU	XY	5%(E)(W)	NA	NA NA
			BC	0.5%(E)(W)	NA	NA NA
			MEK	94.5%(E)(W) NA	NA

8.05 continued below

 $[\overline{x}]$ Mark (X) this box if you attach a continuation sheet.

05 Characterize each process stream identified in your residual treatment block flow diagram(s). If a residual treatment block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process

type. (Refer to the instructions for further explanation and an example.) CBI

Process	type		Batch Copo	lymerization		
a.	b.	c.	d.	e.	f.	g.
Stream ID Code	Type of Hazardous Waste	Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) 4,5,6	Other Expected Compounds	Estimated Concen- trations (% or ppm)
8M	T,I	OL	XY	23%(E)(W)	Water	NA NA
			BC	19%(E)(W)	NA	NA
			MEK	58%(E)(W)	NA	NA
8N	T,I	OL	XY	23%(E)(W)	NA	NA
			BC	19%(E)(W)	NA	NA
			MEK	58%(E)(W)	NA	NA
80	Т	AL	Water	NA	NA	NA NA
			XY	NA	NA	NA NA
			ВС	NA	NA	NA
			MEK	NA	NA	NA NA
8P	T	AL	Water	NA	NA	NA
			XY	NA	NA	NA
			ВС	NA	NA	NA
			MEK	NA	NA	NA

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.

05 BI	diagram	(s). If a r	esidual trea	tment block in	in your residua low diagram is aplete it separ c explanation a	ately for ea	ch process
_ ₁	Process	type	• • •	Batch Copo	lymerization		
<u> </u>	a.	b.	c.	d.	e.	f.	g.
	Stream ID Code	Type of Hazardous Waste	Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) 4,5,6	Other Expected Compounds	Estimated Concen- trations (% or ppm)
	8Q	T,I	GU	XY	NA	NA	NA
				ВС	NA	NA	NA
				MEK	NA NA	NA	NA
	8R	T,I	OL	XY	NA	NA NA	NA NA
				ВС	NA	NA	NA
				MEK	NA NA	NA	NA
)		т, І		XY	 NA	NA	– NA

BC

MEK

XY

BC

MEK

8.05 continued below

T8

T,I

 $[\overline{X}]$ Mark (X) this box if you attach a continuation sheet.

OL

NA

_}	Process	type	•••	Batch Copo	lymerization		
	a. Stream ID Code	b. Type of Hazardous Vaste	C. Physical State of Residual ²	Known Compounds	Concentra- tions (% or ppm) 4,5,6	f. Other Expected Compounds	Estimated Concen- trations (% or ppm)
	8U	т, I	OL	XY	NA	NA	NA NA
				BC	NA	NA	NA
				MEK	NA	NA	NA
	8V	T	SY	NA	NA NA	NA	NA NA
	W8	T	SY	NA	NA	NA	NA
	8X	T	GU	NA	NA	NA	NA NA

_] P	Process type Batch Copolymerization								
	a. b.		c.	d.	е.	f.	g.		
	tream ID Code	Type of Hazardous Waste	Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) 4,5,6	Other Expected Compounds	Estimated Concen- trations (% or ppm)		
	8Y	т,1	GC	XY	NA NA	NA	NA NA		
				BC	NA	NA	NA		
				MEK	NA	NA NA	NA		
	8Z	T,I	OL	XY	NA	NA	NA		
				ВС	NA NA	NA	NA NA		
		; -		MEK	NA	NA	NA		
	8AA	T,I	GU	XY	NA	NA	NA		
_				ВС	NA	NA	NA		
				MEK	NA NA	NA	NA NA		
	8AB	T,I	GU	XY	NA NA	NA	NA		
-				ВС	NA	NA	NA		
				MEK	NA	NA	NA NA		
 -									

]		type		ch Copolymeriz	е.	f.	g.
	a. Stream ID Code	Type of Hazardous Waste	C. Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) 4,5,6	Other Expected Compounds	Estimated Concen- trations (% or ppm)
	8AC	Т	GU	Water	NA	NA	NA NA
	BAD	<u>T</u>	GU	Water	NA	NA	NA
	8AE	T	AL	Water	NA	NA	NA
	8AF	T,I	GU	XY	NA	NA	NA
				BC	NA	NA	NA
				MEK	NA NA	NA	NA

8.05 <u>CBI</u>	diagram	n(s). If a r s type, photo	esidual trea copy this qu	tment block f estion and co	in your residu low diagram is mplete it sepa r explanation a	provided for rately for ea	more than one ch process
[_]	Process	type	Bat	ch Copolymer	ization		
	a.	b.	c.	d.	е.	f.	g.
	Stream ID Code	Type of Hazardous Waste	Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) ^{4,5,6}	Other Expected Compounds	Estimated Concen- trations (% or ppm)
	8AG	T,I	SY	XY	NA	NA	NA
				ВС	NA	NA	NA
				MEK	NA	NA	NA
	<u>8AH</u>	т,і	GU	Methane	NA NA	NA NA	NA
١	8AI_	-	GU	Air	NA NA	NA NA	NA NA
	8AJ_	<u>T</u>		Water	NA	NA NA	NA
8.05	continu	ed below					
[<u>x</u>]	Mark (X) this box i	f you attach	a continuatio	on sheet.		

]	Process	Process type Batch Copolymerization										
	a.	b.	c.	d.	e.	f.	g.					
	Stream ID Code	Type of Hazardous Vaste	Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) ^{4,5,6}	Other Expected Compounds	Estimated Concen- trations (% or ppm)					
	8AK	T,I	GU	XY	NA	NA	NA					
	•			BC	NA	NA	NA NA					
				MEK	NA	NA	NA					
				Nitrogen Water	NA NA	NA NA	NA NA					
	8AL	T	SO	NA	NA	NA .	NA					
		:-										
	8AM	Т	SO	NA	NA	NA .	NA NA					
	8AN	Т	GU	NA	NA	NA						
	OAN	1		IVA	IVA	IVA	IVA					
 .05	continu	ed below										

8.05 (continued)

¹Use the following codes to designate the type of hazardous waste:

I = Ignitable
C = Corrosive

R = Reactive
E = EP toxic

T = Toxic

H = Acutely hazardous

²Use the following codes to designate the physical state of the residual:

GC = Gas (condensible at ambient temperature and pressure)

GU = Gas (uncondensible at ambient temperature and pressure)

SO = Solid

SY = Sludge or slurry

AL = Aqueous liquid

OL = Organic liquid

IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

8.05 continued below

[] Mark (X) this box if you attach a continuation sheet.

8.05	cont	inued)
------	------	--------

Additive Package Number	Components of Additive Package	Concentrations (% or ppm)
1		-
2		
3		
- -		
4		
5		
4 Use the following codes	to designate how the concentration	on was determined:
A = Analytical result E = Engineering judgement		
continued below		

8.05	(continued)
0.03	(CONTETUCES)

⁵Use the following codes to designate how the concentration was measured:

V = Volume

W = Weight

⁶Specify the analytical test methods used and their detection limits in the table below. Assign a code to each test method used and list those codes in column e.

Not Applicable

Code	Method	Detection Limit $(\pm \text{ ug/l})$
1		
2		
3		
4		
6		

[-]	Mark	(X)	this	pox	if	you	attach	а	continuation sheet	•
-----	------	-----	------	-----	----	-----	--------	---	--------------------	---

a.	b .	c.	d.	е	• 1	f. Costs for Off-Site Management (per kg)	g. Changes in Management Methods
Stream ID Code	Waste Description Code	Management Method Code ²	Residual Quantities (kg/yr)	Mana of Resi On-Site	gement dual (%) Off-Site		
8A	B60	NA	77440	NA NA	NA	NA NA	None
8B	B60	NA NA	77440	NA	NA NA	NA	None
8C	B60	NA	77440	NA	NA	NA NA	None
8D	B60	NA	37673	NA	NA	NA	None

¹Use the codes provided in Exhibit 8-1 to designate the waste descriptions ²Use the codes provided in Exhibit 8-2 to designate the management methods

 $^{[\}overline{x}]$ Mark (X) this box if you attach a continuation sheet.

CBI

a.	b.	c.	d.	e	•	f. Costs for	g٠
Stream ID Code	Waste Description Code ¹	Management Method Code ²	Residual Quantities (kg/yr)	Mana of Resi On-Site	gement dual (%) Off-Site	Off-Site Management (per kg)	Changes in Management Methods
8E	B60	NA	115113	NA	NA	NA	None
8F	B91	111	480	100	0	NA	None
8G	В91	NA	190764	NA	NA	NA	None
8H	A01	NA	32762	NA	NA	NA	None

 $^{^1}$ Use the codes provided in Exhibit 8-1 to designate the waste descriptions 2 Use the codes provided in Exhibit 8-2 to designate the management methods

 $[\overline{x}]$ Mark (X) this box if you attach a continuation sheet.

a.	b.	c.	d.	e	•	f. Costs for	g.
Stream ID Code	Waste Description Code	Management Method Code ²	Residual Quantities (kg/yr)	Mana of Resi On-Site	gement dual (%) Off-Site	Off-Site Management (per kg)	Changes in Management Methods
81	В60	NA	NA	NA	NA NA	NA NA	None
8J	в60	NA	NA	NA	NA	NA	None
8K	В60	NA	NA	NA	NA	NA	None
8L	B91	111	122	100	0	NA	None

 $^{[\}overline{x}]$ Mark (X) this box if you attach a continuation sheet.

CBI

a.	type b.	c.	d.	e	•	f. Costs for	g.
tream ID Code	Waste Description Code	Management Method Code ²	Residual Quantities (kg/yr)	Mana of Resi On-Site	gement dual (%) Off-Site	Off-Site Management (per kg)	Changes in Management Methods
8M	B58	NA	190642	NA	NA	NA	None
	- ,						
8N	B60	NA	190642	NA	NA	NA	None
80	B01	NA	NA	NA	NA	NA	None
8P	B01	111	2784218 [*]	100	0	NA NA	None
	otal, all res	ins					_

¹Use the codes provided in Exhibit 8-1 to designate the waste descriptions ²Use the codes provided in Exhibit 8-2 to designate the management methods

[[]x] Mark (X) this box if you attach a continuation sheet.

CBI

b.	c.	d.			f. Costs for	g.
Waste Description Code ¹	Management Method Code	Residual Quantities (kg/yr)	of Residence of Re	dual (%) Off-Site	Off-Site Management (per kg)	Changes in Management Methods None
B91	11I	NA			NA	
A01	NA NA	NA	NA NA	NA NA	NA	None
B91	111	NA	100	0	NA	None
					-	
A01	NA NA	NA	NA	NA NA	NA NA	None
	Waste Description Code B91 A01	Waste Management Method Code B91 111 A01 NA	Waste Description Code Method Code (kg/yr) B91 11I NA A01 NA NA B91 11I NA	Waste Management Residual Ouantities On-Site	Waste Management Residual Of Residual (%) On-Site Off-Site	Name

¹Use the codes provided in Exhibit 8-1 to designate the waste descriptions ²Use the codes provided in Exhibit 8-2 to designate the management methods

 $^{[\}overline{X}]$ Mark (X) this box if you attach a continuation sheet.

CBI
_

a.	b.	c.	d.	e	•	f. Costs for	g.
Stream ID	Waste Description Code	Management Method Code	Residual Quantities (kg/yr)	Mana of Resi On-Site	gement dual (%) Off-Site	Off-Site Management (per kg)	Changes in Management Methods
Code 8U	A01	1FB	852388 [*]	0	100	.10	None
				, ·			
_8V	B82	NA	NA	NA NA	NA	NA	None
8W	B82	NA NA	22714*	NA	NA	NA	None
						217	None
_8X	B91	NA	852388 [*]	NA	NA NA	NA NA	

¹Use the codes provided in Exhibit 8-1 to designate the waste descriptions ²Use the codes provided in Exhibit 8-2 to designate the management methods

 $^{[\}overline{x}]$ Mark (X) this box if you attach a continuation sheet.

_}	Process a.	b.	с.	d.	e.		f. Costs for	g. Changes in
	Stream ID Code	Waste Description Code	Management Method Code ²	Residual Quantities (kg/yr)	of Resi On-Site	gement dual (%) Off-Site	Off-Site Management (per kg)	Management Methods None
	84	B91	NA	NA	NA	NA	NA	None
								None
	8Z	В60	NA	NA	NA	NA ————	NA	HOLL
	8A8	B91	111	NA	100	0	NA NA	None
	8AE	B91	111	NA	100	0	NA NA	None

¹Use the codes provided in Exhibit 8-1 to designate the waste descriptions

 $[\underline{x}]$ Mark (X) this box if you attach a continuation sheet.

²Use the codes provided in Exhibit 8-2 to designate the management methods

α	т
t.B	•
~~	-

Drocess	type	Bat	tch Copolymen	rization			
a.	b.	c.	d.	е		f. Costs for Off-Site	g. Changes in
Stream ID Code	Waste Description Code	Management Method Code ²	Residual Quantities (kg/yr)	Mana of Resi On-Site	gement dual (%) Off-Site	Management (per kg)	Management Methods
8AC	B57	NA	NA	NA	NA	NA	None
				100	0	NA	None
8AD	B57	111	NA	100			
8AE	в01	11I	NA NA	100	0	NA	None
DAE							
						_	
8AF	B91	NA	NA	NA	NA	NA	None

¹Use the codes provided in Exhibit 8-1 to designate the waste descriptions

[x] Mark (X) this box if you attach a continuation sheet.

²Use the codes provided in Exhibit 8-2 to designate the management methods

	a.	b.	c.	d.	e		f. Costs for Off-Site	g. Changes in
	Stream ID Code	Waste Description Code ¹	Management Method Code ²	Residual Quantities (kg/yr)	of Resi	gement dual (%) Off-Site	Management (per kg)	Management Methods
	8AG	B82	NA	22714*	NA	NA	NA	None
,								
	8AH	NA	NA	NA	NA_	NA	NA	None
	8AI	NA	NA	NA NA	NA	NA	NA NA	None
	8AJ	B01	111	NA	100	0	NA	None
to	otal, all							

Mark (X) this box if you attach a continuation sheet.

[x]

Process	type	Bato	h Copolymeri	zation			
	b.	c.	d.	e		f. Costs for	g.
a. Stream ID Code	Waste Description Code	Management	Residual Quantities (kg/yr)	Mana of Resi On-Site	gement dual (%) Off-Site	Off-Site Management (per kg)	Changes in Managemen Methods
8AK	В91	111	NA			NA	None
						.04	None
8AL	B39	1D	NA	0	100		
MA8	B39	1D	NA NA	0	100	.04	None
			NA	 NA	 	NA	None
1A8	NB57	NA 	NA				
					to the was	te descripti	ons

[_]		Ch	ustion amber ture (°C)	Tempe	ion of rature itor	In Com	ence Time bustion (seconds)
	Incinerator	Primary	Secondary	Primary	Secondary	Primary	Secondary
	1						
	2			* (<u></u>	
	3						
	by circl	ling the app	of Solid Wast ropriate resp	onse.			-
	Yes	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • •	• • • • • • • • • • • • •	1
	No		• • • • • • • • • • •	• • • • • • • • • • •	• • • • • • • • • •	• • • • • • • • • • •	2
8.23 <u>CBI</u> []	are used on-si treatment bloc		ram(s).		in your proc	Types	residual
CBI			ram(s). Air Po	llution Device	in your proc 	ess block or	residual of s Data able
CBI	Incinerator		ram(s). Air Po <u>Control</u>	llution Device	in your proc	ess block or Types Emission Avail	residual of s Data able
CBI	Incinerator		ram(s). Air Po <u>Control</u>	llution Device	in your proc	ess block or Types Emission Avail	residual of s Data able
CBI	Incinerator 1 2 3 Indicate	ek flow diag	ram(s). Air Po <u>Control</u>	llution Device e survey has		Types Emission Avail	residual of s Data able
CBI	Incinerator 1 2 3 Indicate by circl	e if Office o	Air Po Control of Solid Wast	llution Device e survey has onse.	been submit	Types Emission Avail N A	of s Data able of response
CBI	Incinerator 1 2 3 Indicate by circl	e if Office o	Air Po Control of Solid Wast	llution Device e survey has onse.	been submit	Types Emission Avail N A	of s Data able of response
CBI	Incinerator 1 2 3 Indicate by circl Yes	e if Office oing the app	Air Po Control of Solid Wast ropriate resp	e survey has	been submit	Types Emission Avail N A	of s Data able of response

PART A EMPLOYMENT AND POTENTIAL EXPOSURE PROFILE

•	Hourly *	intained for Salaried Workers	: Year in Which Data Collection Began	Number Years Red Are Maint
Data Element	Workers			Perman
Date of hire		X	1965	
Age at hire		X	<u>1965</u>	Perman
Work history of individual before employment at your facility		X	1965	Perman
Sex		X	1965	Perman
Race		Х	1965	Perman
Job titles		X	1965	Permar
Start date for each job title		X	1965	Permar
End date for each job title		X	1965	Perman
Work area industrial hygiene monitoring data		X	1977	Perman
Personal employee monitoring data		X	1977	Perma
Employee medical history		X	1978	Perma
Employee smoking history		X	1978	Perma
Accident history		X	1933	Perma
Retirement date	-	_X	1965	Perma
Termination date		X	1965	Perma
Vital status of retirees		X	1986	Perma
Cause of death data		Х	1986	Perma


9.02 In accordance with the instructions, complete the following table for each activity in which you engage.

a.	b.	c.	d.	е.
Activity	Process Category	Yearly Quantity (kg)	Total Workers	Total Worker-Hours
Manufacture of the	Enclosed		-	
listed substance	Controlled Release	* ;		
	0pen			
On-site use as	Enclosed	17,967		934
reactant	Controlled Release			
	0pen			
On-site use as	Enclosed			
nonreactant	Controlled Release		***	
	0pen			
On-site preparation	Enclosed			
of products	Controlled Release			
	0pen			

[_] Mark (X) this box if you attach a continuation sheet.

encompasses worker	rive job title for each labor category at your facility that is who may potentially come in contact with or be exposed to the
listed substance.	
 [<u>]</u>	
Labor Category	Descriptive Job Title
A	Reactor Operator
В	
c	
D	
E	
F	
G .	
н	
I	
- J	
J	

04	In accordance with th indicate associated w	ne instructions, provide your process block flow diagram(s) and ork areas.
I		
_]	Process type	Batch Copolymerization
		See Attached
		ing account to the second seco



9.05	may potentially come is additional areas not s	work area(s) shown in question 9.04 that encompass workers who in contact with or be exposed to the listed substance. Add any shown in the process block flow diagram in question 7.01 or question and complete it separately for each process type.
CBI		
[_]	Process type	Batch Copolymerization
	Work Area ID	Description of Work Areas and Worker Activities
	1	3rd Floor K5 Reactor (Workers Charge TDI)
	2	Resin Plant Yard (Workers Decontaminate Drums)
	3	
	4	
	5	
	6	
	7	
	8	
	9	
	10	
	•	
[_]	Mark (X) this box if y	ou attach a continuation sheet.

and complete it separately for each process type and work area. Process type Batch Polymerization							
			1				
Labor Category	Number of Workers Exposed	Mode of Exposure (e.g., direct skin contact)	Physical State of Listed Substance	Average Length of Exposure Per Day	Number o Days per Year Exposed		
A	2	Direct Skin Contact	OL	A	13		
A	2	Inhalation	GU	С	13		
					_		
	· · · · · · · · · · · · · · · · · · ·						
				_ ^			
the point GC = Gas tem	of exposure: (condensible perature and p	ressure) AL	ical state of = Sludge or s = Aqueous lig = Organic lig	lurry Juid	ubstance		
GU = Gas tem	(uncondensibl perature and p ludes fumes, v	e at ambient OL ressure; IL	= Immiscible (specify ph	luid liquid nases, e.g., 10% toluene)			
		to designate average	length of exp	oosure per day	/:		
B = Great excee	nutes or less er than 15 min ding 1 hour er than one ho	nutes, but not E = our. but not	exceeding 4	n 4 hours, but hours			

 $[\overline{X}]$ Mark (X) this box if you attach a continuation sheet.

_}	Process type Batch Copolymerization							
	Work area			• • • • •		2		
	Labor Category	Number of Workers Exposed	Mode of Exposur (e.g., dire skin contac	ct	Physical State of Listed Substance	Average Length of Exposure Per Day	Number o Days per Year Exposed	
	A	2	Inhalation	l	GU	B	13	
	·							
			•					

		llowing codes of exposure:	to designate the	e phys	ical state of	the listed s	ubstance :	
	GC = Gas	(condensible a	t ambient		= Sludge or s			
	temp	erature and pro	essure)	AL = Aqueous liquid OL = Organic liquid				
		(uncondensible erature and pr		IL	= Immiscible	liquid		
	incl SO = Soli	udes fumes, va	pors, etc.)		(specify ph	ases, e.g., 10% toluene)		
			to designate av	verage length of exposure per day:				
	A = 15 mir	nutes or less		D =	Greater than	2 hours, but	not	
		er than 15 minu	tes, but not	F _	exceeding 4	nours 4 hours, but	not	
	exceed C = Greate	ling 1 hour er than one hou	r. but not		exceeding 8	hours		
	C = Great	ding 2 hours	-,	F.	Greater than	8 hours		

BI	area.	Batch Copolymerization	
]			1
		8-hour TWA Exposure Level (ppm, mg/m³, other-specify)	15-Minute Peak Exposure Leve (ppm, mg/m³, other-specify)
	Labor Category	• ,	0.005 ppm
	A	0.001 ppm	0.003 pp.m

[area.							
_ _ _]	Process type	Batch Copolymerization						
-'	Wash amag							
		8-hour TWA Exposure Level (ppm, mg/m³, other-specify)	15-Minute Peak Exposure Leve (ppm, mg/m³, other-specify)					
	Labor Category	N A	N A					
	A	N A						
		•						

PART B WORK PLACE MONITORING PROGRAM

If you monitor worker exposure to the listed substance, complete the following table.

Sample/Test	Work Area ID	Testing Frequency (per year)	Number of Samples (per test)	Who Samples ¹	Analyzed In-House (Y/N)	Number of Years Records Maintained
Personal breathing zone	1	1	1	D	Y	Permanent
General work area	1	1	1	D	<u>Y</u>	Permanent
(air) Wipe samples	*	*	*	*	*	*
Adhesive patches	*	*	*	*	*	*
Blood samples	*	*	*	*	*	*
Urine samples	*	*	*	*	*	*
Respiratory samples	*	*	*	*	*	*
Allergy tests	*	*	*	*	*	*
Other (specify)	42000					
Other (specify)				- All Parks and All Parks		
Other (specify)						
	* No	t Applicable				

¹Use the following codes to designate who takes the monitoring samples:

- A = Plant industrial hygienist
- B = Insurance carrier
- C = OSHA consultant
- D = Other (specify) Plant Industrial Hygiene Sampling Technician

[_]	Mark (X) this	s box if you	attach a	continuation	sheet.	_

]	Sample Type	Sam	pling and Analyti	ical Methodolo	<u>gy</u>			
	Personal Breathing Zone (STEL) Impinger (N-(4-Nitrobenzyl-N-n-propylamine)in Toluene							
	with HPLC UV Detection							
	Gen. Work Area (TLV-TWA) Impinger (N-(4-Nitrobenzyl-N-n-propylamine)in Toluen							
	with HPLC UV Detection							
0	If you conduct personal	and/or ambient a	ir monitoring fo	r the listed s	substance,			
	specify the following i	nformation for ea	ich equipment typ	Averaging	Model Number			
]	Equipment Type 1	Detection Limit ²	Manufacturer	Time (hr)	P2500B			
		0.001 (C)	DuPont	0.25				
		0.001 (C)	DuPont	8	P2500B			
	Use the following codes to designate personal air monitoring equipment types: A = Passive dosimeter B = Detector tube C = Charcoal filtration tube with pump D = Other (specify) Impinger (N-(4-Nitrobenzyl-N-n-propylamine)in Toluene) with HPLC Use the following codes to designate ambient air monitoring equipment types: E = Stationary monitors located within work area F = Stationary monitors located within facility							
	G = Stationary monitors located at plant boundary H = Mobile monitoring equipment (specify) I = Other (specify) Impinger(N-(4-Nitrobenzyl-N-n-propylamine)in Toluene); Detector							
	<pre>2 Use the following codes to designate detection limit units: A = ppm B = Fibers/cubic centimeter (f/cc) C = Micrograms/cubic meter (μ/m³)</pre>							

Test Description	(weekly, mo	Frequency onthly, yearly, etc.
Not Applicable		
	* .	
	•	

PART C ENGINEERING CONTROLS

Describe the engineering controls that you use to reduce or eliminate worker expoto the listed substance. Photocopy this question and complete it separately for process type and work area.	sure each

Process type	Batch Co	polymerization		
Work area		• • • • • • • • • • • • • • • • •	1	
Engineering Controls	Used (Y/N)	Year Installed	Upgraded (Y/N)	Year Upgraded
Ventilation:				
Local exhaust	Y	1965	<u> </u>	1988
General dilution	<u> </u>	1965	N	
Other (specify)				
Vessel emission controls	Y	1976	Y	1985
Mechanical loading or packaging equipment	Y	1965	<u> </u>	1988
Other (specify)				

 $[\overline{X}]$ Mark (X) this box if you attach a continuation sheet.

12 Describe the engineering cont to the listed substance. Pho process type and work area.	otocopy this o	question and compl	ete it separate	ely for ea
T Process type	Batch (Copolymerization		
Work area			2	
Engineering Controls	Used (Y/N)	Year Installed	Upgraded (Y/N)	Year Upgrade
Ventilation:				
Local exhaust	N			
General dilution	N			
Other (specify)				
	N			
Vessel emission controls	N			
Mechanical loading or packaging equipment	N			
Other (specify)				
	N			

[_] Mark (X) this box if you attach a continuation sheet.

prior to the reporting year that have resulted in a retail the listed substance. For each equipment or process the percentage reduction in exposure that resulted. complete it separately for each process type and work Process type Batch Copolymerization	
Process type ·····	1
Work area Equipment or Process Modification	Reduction in Worke Exposure Per Year (
Transfer Enclosure for Drum	N A
Changed from Booth to a	
Bonnet with Localized Exhaust	

_}	Process type Batch Copolymerization	2	
	Work area	Reduction Exposure Pe	
	Vessel Emission Control Modification From	N A	
	Odor Tower to Thermal Oxidizer		
	OUOI TOWEL OF THEIR STATE OF THE STATE OF TH		
	green , the design , the state of the state		
		er e e	

PART D PERSONAL PROTECTIVE AND SAFETY EQUIPMENT

Process type	Batch Copolymerization	on	
	·····		1
work area vivi			
	Equipment Types	Wear or Use (Y/N)	
Martines Silve Essey - Martinese	Respirators	Y	
	Safety goggles/glasses	<u>Y</u>	
	Face shields	N	
	Coveralls	<u> </u>	
	Bib aprons	<u> </u>	
	Chemical-resistant gloves	<u> </u>	
	Other (specify)		
	Other (specify)		

	2	
Wear or Use	2	
Equipment Types Use (Y/N) Respirators Y Safety goggles/glasses Y Face shields N		
Respirators Safety goggles/glasses Y Face shields N		
Safety goggles/glasses Y Face shields N		
Face shields N		
Coveralls Y		
Bib aprons Y		
Chemical-resistant gloves Y		
Other (specify)		
	No. of the second of the secon	

|--|

_, ,	Process	type Batch	Copolymerizati	lon	<u> </u>	
_	Work Area	Respirator Type	Average Usage	Fit Tested (Y/N)	Type of Fit Test ²	Frequency of Fit Tests (per year)
-	1	Air Purifying Full-Facepiece	С	Y	QL	1
	2	Air Purifying Full-Facepiece	C	<u> </u>	QL	1
•		and the second s				
		ekly				
	$B = We$ $C = Mo$ $D = On$ $E = Ot$ $^{2}Use th$ $QL = Q$	eekly onthly nce a year ther (specify) ne following codes to desi Qualitative	gnate the type	of fit te	st:	
, company	$B = We$ $C = Mo$ $D = On$ $E = Ot$ $^{2}Use th$ $QL = Q$	eekly onthly nce a year ther (specify) ne following codes to desi	gnate the type	of fit te	st:	· March Park · · · · · · · · · · · · · · · · · · ·
nadi s	$B = We$ $C = Mo$ $D = On$ $E = Ot$ $^{2}Use th$ $QL = Q$	eekly onthly nce a year ther (specify) ne following codes to desi Qualitative	gnate the type	of fit te	st:	i Manga Paga a a Mada Anna a
name o	$B = We$ $C = Mo$ $D = On$ $E = Ot$ $^{2}Use th$ $QL = Q$	eekly onthly nce a year ther (specify) ne following codes to desi Qualitative	gnate the type	of fit te	st:	
name o	$B = We$ $C = Mo$ $D = On$ $E = Ot$ $^{2}Use th$ $QL = Q$	eekly onthly nce a year ther (specify) ne following codes to desi Qualitative	gnate the type	of fit te	st:	

	Process type Ba	Lab Complement -			
		ten cobolymeriza	ation		
	Work area			1	
	1. Placarding		6.	Monitoring	
	2. Restrict Access				
	3. Training Program	tones	Spin companies (* vg c * mayou		
	4. Respiratory Protection	on			
•	5. Work Uniform Program				
	Process type			1	
	Housekeeping Tasks	Less Than Once Per Day		3-4 Times Per Day	More Than 4 Times Per Day
•	Sweeping-	X	- 195 - 48ge	ar d en e	t the second of
•	Vacuuming				
•	Water flushing of floors	X			
	Other (specify)				
	Strip Floor with	X			

[X] Mark (X) this box if you attach a continuation sheet.

PART E WORK PRACTICES

0.19 CBI	Describe all of the work preliminate worker exposure to authorized workers, mark armonitoring practices, proviquestion and complete it see	eas with warning	stance (e.g., signs, insur ng programs.	e worker dete	ection and ecopy this
[_]	Process type B	atch Copolymeriza	ation		
	Work area			2	
	WOLK GEOGRAPHIC		•		
	1. Placarding		6. Monitoria	ng .	
	2. Restrict Access				
	3. Training Program		the total the second		abov
	4. Respirratory Protecti	on			
	5. Work Uniform Program				
9.20	leaks or spills of the lis separately for each proces	s type and work	rnotocopy thi area.	sk used to cl s question an	ean up routine d complete it
	Process type	Batch Copolymeri	zation		
	Work area			2	
	Housekeeping Tasks	Less Than Once Per Day	1-2 Times Per Day	3-4 Times Per Day	More Than 4 Times Per Day
- Projekt in the	-Sweeping	The second section is a second			Mark Control of the C
r frysm sa re	-Sweeping Vacuuming				
Francisco de 196					
e Made is es	Vacuuming				
Page 16 Te	Vacuuming Water flushing of floors	AND THE PROPERTY OF THE PROPER			
	Vacuuming Water flushing of floors				
Tracks and the second s	Vacuuming Water flushing of floors				
The state of the s	Vacuuming Water flushing of floors				
	Vacuuming Water flushing of floors				

9.21	Do you have a written medical action plan for responding to routine or emergency exposure to the listed substance?								
•	Routine exposure								
	Yes 1								
	No 2								
	Emergency exposure								
	Yes 1								
	No 2								
	If yes, where are copies of the plan maintained?								
	Routine exposure:								
	Emergency exposure:								
9.22	Do you have a written leak and spill cleanup plan that addresses the listed substance? Circle the appropriate response.								
	(Yes) 1								
)	No 2								
	If yes, where are copies of the plan maintained? Superintendant's Office and All Reactor Operators Has this plan been coordinated with state or local government response organizations? Circle the appropriate response.								
	No 2								
9.23	Who is responsible for monitoring worker safety at your facility? Circle the appropriate response.								
	Plant safety specialist 1								
	Insurance carrier 2								
	OSHA consultant 3								
	Other (specify) 4								
<u></u>	Mark (X) this box if you attach a continuation sheet.								

SECTION 10 ENVIRONMENTAL RELEASE

General Instructions:

Complete Part E (questions 10.23-10.35) for each non-routine release involving the listed substance that occurred during the reporting year. Report on all releases that are equal to or greater than the listed substance's reportable quantity value, RQ, unless the release is federally permitted as defined in 42 U.S.C. 9601, or is specifically excluded under the definition of release as defined in 40 CFR 302.3(22). Reportable quantities are codified in 40 CFR Part 302. If the listed substance is not a hazardous substance under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and, thus, does not have an RQ, then report releases that exceed 2,270 kg. If such a substance however, is designated as a CERCLA hazardous substance, then report those releases that are equal to or greater than the RQ. The facility may have answered these questions or similar questions under the Agency's Accidental Release Information Program and may already have this information readily available. Assign a number to each release and use this number throughout this part to identify the release. Releases over more than a 24-hour period are not single releases, i.e., the release of a chemical substance equal to or greater than an RQ must be reported as a separate release for each 24-hour period the release exceeds the RO.

For questions 10.25-10.35, answer the questions for each release identified in question 10.23. Photocopy these questions and complete them separately for each release.

10.01	Where is your facility located? Circle all appropriate responses.	
<u>CBI</u>		
[_]	Industrial area	
	Urban area	
	Residential area	• :
	Agricultural area	· (•
	Rural area	٠ (
	Adjacent to a park or a recreational area	. (
	Within 1 mile of a navigable waterway	• `
	Within 1 mile of a school, university, hospital, or nursing home facility	•
	Within 1 mile of a non-navigable waterway	. (
	Other (specify)	. 1

	, 13 _M						
_, Easting facility,	, provide						
facility,	, provide						
i							
	inches/year						
I	meters						
,							
For each on-site activity listed, indicate (Y/N/NA) all routine releases of the listed substance to the environment. (Refer to the instructions for a definition o Y, N, and NA.)							
Release	Land						
	NA						
	NA						
	N						
	NA.						
	N N						
	NA						
	s for a de						

10.06 Provide the following information for the listed substance and specify the level of precision for each item. (Refer to the instructions for further explanation and an example.) CBI $kg/yr \pm 30 %$ 2.25 Quantity discharged to the air $kg/yr \pm 0$ % NA Quantity discharged in wastewaters_ Quantity managed as other waste in on-site $kg/yr \pm 30 %$ 31.75 treatment, storage, or disposal units Quantity managed as other waste in off-site _ kg/yr <u>+</u> <u>0</u> % NA treatment, storage, or disposal units 0.06 lbs Air: point source 2.245 kg/yr4.88 lbs fugitive 4.94 lbs On-site: drums 39,528 lbs/450 lbs/dr = 88 drums10 fl. oz./drum X 88 dr + 128 oz./gal = 6.875 gal. 6.875 gal. X 10.163 1bs/gal. + 2.2 1bs/kg = 31.75 kg

[_]	Mark (X)	this box	if you a	ittach a	a continuation	sheet.	

10.08 Describe the control technologies used to minimize release of the listed substance for each process stream containing the listed substance as identified in your process block or residual treatment block flow diagram(s). Photocopy this question and complete it separately for each process type.

₁ —1	Process type	Batch Copolymerization

Stream ID Code	Control Technology	Percent Efficiency
7E	Venturi Scrubber	30
7F	Thermal Oxidation	95
7G	Cooled Water Condenser	80
7H	Thermal Oxidation	95
7N	Thermal Oxidation	95
7Q	Venturi Scrubber	30
7R	Thermal Oxidation	95
7U	Cooled Water Condenser	80
7V	Thermal Oxidation	95
7AA	Thermal Oxidation	95
7AI	Cooled Water Condenser	80
7AK	Thermal Oxidation	95
7 .	Thermal Oxidation	95
7A0	Thermal Oxidation	95
7AP	Thermal Oxidation	95

[] Mark (X) this box if you attach a continuation sheet.

10.08 Describe the control technologies used to minimize release of the listed substance for each process stream containing the listed substance as identified in your process block or residual treatment block flow diagram(s). Photocopy this question and complete it separately for each process type.

[_] Process type Residual Treatment Flow Diagram

Stream ID Code	Control Technology	Percent Efficiency
8F	Thermal Oxidation	95
8G	Cooled Water Condenser	80
	Thermal Oxidation	95
8Q	Thermal Oxidation	95
8S	Thermal Oxidation	95
8Y	Cooled Water Condenser	. 80
8AA	Thermal Oxidation	95
8AB	Thermal Oxidation	95
8AD	Thermal Oxidation	95
8AE	Thermal Oxidation	95

[] Mark (X) this box if you attach a continuation sheet.

10.08 CBI	for each process stream	technologies used to minimize release of the containing the listed substance as industrially diagram(s). The containing the process type.	dentified in your
<u>_</u> 1	Process type	Residual Treatment Flow Diagram	
	Stream ID Code	Control Technology	Percent Efficienc
	8AJ	Thermal Oxidation	95
	8AK	Thermal Oxidation	95
			•

10.09 <u>CBI</u> []	Point Source Emissions Identify each emission point source containing the listed substance in terms of a Stream ID Code as identified in your process block or residual treatment block flow diagram(s), and provide a description of each point source. Do not include raw material and product storage vents, or fugitive emission sources (e.g., equipment leaks). Photocopy this question and complete it separately for each process type.								
	Process type	Batch Copolymerization							
	Point Source ID Code	Description of Emission Point Source							
	8AN	Thermal Oxidizer Exhaust Vent							
	•								

8

thi

G

pox

-

 $^{^4}$ Average Emission Factor — Provide estimated (\pm 25 percent) emission factor (kg of emission per kg of production of listed substance)

10.11 Stack Parameters -- Identify the stack parameters for each Point Source ID Code identified in question 10.09 by completing the following table.

CBI

Point Source ID Code	Stack Height(m)	Stack Inner Diameter (at outlet) (m)	Exhaust Temperature (°C)	Emission Exit Velocity (m/sec)	Building Height(m)	Building Vidth(m)	Vent Type ³
8AN	9.3 m	.77 m	315-400 ^o C	3.38 m/sec	7.7 m	10.8 m	

¹Height of attached or adjacent building

H = Horizontal

V = Vertical

[_]	Mark	(X)	this	box	if yo	u attach	а	continuation	sheet.	
1										

²Width of attached or adjacent building

³Use the following codes to designate vent type:

Photocopy this question and	Source ID Code identified in question 10.09. complete it separately for each emission point sou
Point source ID code	NA NA
Size Range (microns)	Mass Fraction (% ± % precision
< 1	
≥ 1 to < 10	
≥ 10 to < 30	
≥ 30 to < 50	
≥ 50 to < 100	
≥ 100 to < 500	
≥ 500	
	Total = 100%
•	
No partic	culate emissions

	_	THE TOTAL	PHICCIONS
DART	C	FUCTTIVE	EMISSIUNS

	according to the specified the component. Do this for residual treatment block fl not exposed to the listed s process, give an overall pe exposed to the listed subst for each process type.	each proces ow diagram(s ubstance. I	s type ic). Do no f this is time per	dentified of include s a batch year that	in your per ending the second of the second	orocess of it types t mittently dess type	that are operated is
	Process type Bat	ch Copolymeri	ization				
	Percentage of time per year	that the li	sted sub	stance is	exposed	to this p	rocess 2
	type	Number	of Compos	nents in :	Service by	y Weight 1	Percent
		Less			3W-		Greater
	Equipment Type	than 5%	5-10%	11-25%	<u>26-75%</u>	76-99%	than 993
	Pump seals ¹		3.73	3.7.3	NIA	NA	1
	Packed	NA	NA	NA	NA NA		
	Mechanical		-				0
	Double mechanical ²						0
	Compressor seals ¹						0
	Flanges						0
	Valves						
	Gas ³						0
	Liquid					-	2
	Pressure relief devices ⁴ (Gas or vapor only)	*************************************					0
	Sample connections						
	Gas				-		0
	Liquid						0
	Open-ended lines ⁵ (e.g., purge, vent)						
	Gas						0
	Liquid						0
	List the number of pump a compressors	nd compresso	seals,	rather th	an the nu	mber of p	umps or
3	continued on next page						

10.13	(continued)										
	² If double mechanical seal greater than the pump stu will detect failure of th with a "B" and/or an "S",	iffing box pressure as ne seal system, the b	nd/or equipped wit	h a sensor (S) that							
	³ Conditions existing in the valve during normal operation										
	⁴ Report all pressure relie control devices	⁴ Report all pressure relief devices in service, including those equipped with control devices									
	⁵ Lines closed during normal operation that would be used during maintenance operations										
10.14 <u>CBI</u>	Pressure Relief Devices with Controls Complete the following table for those pressure relief devices identified in 10.13 to indicate which pressure relief devices in service are controlled. If a pressure relief device is not controlled, enter "None" under column c.										
[]	a.	b. Percent Chemiçal	c.	d. Estimated							
	Number of Pressure Relief Devices	in Vessel	Control Device	Control Efficiency ²							
	None										
			4	Marie Control of the							
	Refer to the table in question 10.13 and record the percent range given under the heading entitled "Number of Components in Service by Weight Percent of Listed Substance" (e.g., <5%, 5-10%, 11-25%, etc.)										
	² The EPA assigns a control with rupture discs under a efficiency of 98 percent conditions	normal operating cond	itions. The EPA a	assigns a control							
[_]	Mark (X) this box if you a	ttach a continuation	sheet.								

10.15	Equipment Leak Detection place, complete the procedures. Photocotype.	IOLLOWING table re	egarding tho	se leak det	ection and r	eneir					
<u>CBI</u>	••										
[_]	Process type	••••••	• • • • • • • • • • • •	NA.							
	Tantan	Leak Detection Concentration (ppm or mg/m³) Measured at Inches	— Detection	Frequency of Leak Detection	Initiated (days after	Repairs Completed (days afte					
	Equipment Type	from Source	Device	(per year)	detection)	initiated)					
	Pump seals										
	Packed										
	Mechanical										
	Double mechanical										
	Compressor seals										
	Flanges										
	Valves					***************************************					
	Gas										
	Liquid										
	Pressure relief devices (gas or vapor only)										
	Sample connections										
	Gas										
	Liquid										
	Open-ended lines										
	Gas										
	Liquid										
	Use the following codes to designate detection device:										
	POVA = Portable organ FPM = Fixed point mon 0 = Other (specify)	nitoring									
[] Ma	ark (X) this box if yo	ou attach a contin	uation sheet	·							

	CBI	01 10		atment block						Operat-	-					
Mark (X) thi		Vessel Type		Composition of Stored Materials	(liters		Vessel Filling Duration (min)	Vessel Inner Diameter (m)	Vessel Height (m)	Volume	Vessel Emission Controls	Flow	Vent Diameter (cm)	Control Efficiency (%)	Basis for Estimate	
		NA_		- 												
	į															
					****				-							
									<u> </u>	- 				<u> </u>		
							· ——		•							
							·		 							
				•					<u>,</u>							
		1,,,,	Use the following codes to designate vessel type: 2 Use the following codes to designate floating roof seals:												 e•	
		Use the following codes to designate vessel type: F = Fixed roof CIF = Contact internal floating roof						MS1 = Mechanical shoe, primary MS2 = Shoe-mounted secondary MS2R = Rim-mounted, secondary								
		NCIF = Noncontact internal floating roof EFR = External floating roof						<pre>LM1 = Liquid-mounted resilient filled seal, primary</pre>								
		P = Pressure vessel (indicate pres H = Horizontal		dicate press	sure rating)											
				= Undergr					VM1 VM2	l = Vap 2 = Rin	por mour	ited resili ed secondar		led seal,	primary	
	³ Indicate weight percent of the listed substance. Include the total volatile organic con									ganic conte	ent in p	arenthesi	S			
		India	Other than floating roofs													
			•	-												
		⁴ 0the	than flo	-	ission contr	ol device	e was desi	gned to ha	andle (:	specify	flow rate	units)				
		40ther	than flow	pating roofs				_			flow rate	units)				

	_			
PART	E	NON-	-ROITTINE	RELEASES

Indicate the date and time when the release occurred and when the release ceased or										
was stopped. If there were more than six releases, attach a continuation sheet and										
list all releases.										

Release	Date Started	Time (am/pm)	Date Stopped	Time (am/pm)
1	None			
2	NA	<u> </u>		
3	NA			
4	NA			•
5	NA .			
6	NA			

10.24 Specify the weather conditions at the time of each release.

Release	Wind Speed (km/hr)	Wind Direction	Humidity (%)	Temperature (°C)	Precipitation (Y/N)
1					
2		 			
3					
4				-	
5					
6		•			·

	Mark	(X)	this	box	if	you	attach	a	continuation	sheet.	
--	------	-----	------	-----	----	-----	--------	---	--------------	--------	--